

Package: DrData (via r-universe)

May 23, 2026

Title Interactive Statistical Analysis and Machine Learning Platform

Version 0.2.0

Description A Shiny-based interactive platform for end-to-end data science workflows. Provides modules for data import (CSV, Excel, RDS, TXT), data preprocessing (missing value imputation, encoding, scaling, outlier removal), exploratory data analysis with interactive plots and normality tests, supervised learning (regression and classification each with eight algorithms), and unsupervised learning (k-means, hierarchical clustering, DBSCAN). Designed for students and practitioners in data science and artificial intelligence.

License MIT + file LICENSE

Encoding UTF-8

Language en-US

URL <https://github.com/mohsenmehdinia/DrData>

BugReports <https://github.com/mohsenmehdinia/DrData/issues>

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.3

Imports shiny (>= 1.7.0), stats, utils

Suggests shinydashboard, plotly, DT, ggplot2, dplyr, tidyr, readr, readxl, caret, randomForest, rpart, rpart.plot, e1071, class, nnet, colourpicker, glmnet, cluster, dbscan, GGally, gbm, pROC, reshape2, scales, nortest, tseries, testthat (>= 3.0.0), knitr, rmarkdown

VignetteBuilder knitr

Config/pak/sysreqs cmake make libuv1-dev zlib1g-dev

Repository <https://mohsenmehdinia.r-universe.dev>

Date/Publication 2026-05-23 12:28:24 UTC

RemoteUrl <https://github.com/mohsenmehdinia/drdata>

RemoteRef HEAD

RemoteSha 4ab371141171556b58a0c62bb7fd40fb12eccc27

Contents

build_model_formula	2
ml_metrics_regression	3
ml_prepare_data	3
ml_split	4
run_app	4
Index	6

build_model_formula	<i>Build a model formula with optional interaction terms</i>
---------------------	--

Description

Build a model formula with optional interaction terms

Usage

```
build_model_formula(
  target,
  features,
  use_interactions = FALSE,
  interaction_vars = NULL
)
```

Arguments

target	Single character: response variable name.
features	Character vector of predictor names.
use_interactions	Logical; add two-way interactions? Default FALSE.
interaction_vars	Character vector of variables to interact.

Value

A `formula` object.

Examples

```
build_model_formula("mpg", c("cyl", "hp", "wt"))
build_model_formula("mpg", c("cyl", "hp", "wt"), TRUE, c("cyl", "hp"))
```

ml_metrics_regression *Compute regression performance metrics*

Description

Compute regression performance metrics

Usage

```
ml_metrics_regression(y_true, y_pred)
```

Arguments

y_true	Numeric vector of observed values.
y_pred	Numeric vector of predicted values.

Value

One-row data.frame with columns RMSE, MAE, R2.

Examples

```
ml_metrics_regression(c(1,2,3,4,5), c(1.1,1.9,3.2,3.8,5.1))
```

ml_prepare_data *Prepare a data frame for machine learning*

Description

Prepare a data frame for machine learning

Usage

```
ml_prepare_data(data, target, features = NULL)
```

Arguments

data	A data.frame.
target	Single character string: the response column name.
features	Character vector of predictor names. Default: all except target.

Value

Named list: data, target, features.

Examples

```
prep <- ml_prepare_data(mtcars, target = "mpg")
names(prep)
```

ml_split	<i>Split a data frame into training and test sets</i>
----------	---

Description

Split a data frame into training and test sets

Usage

```
ml_split(data, train_ratio = 0.8, seed = 42)
```

Arguments

data	A data.frame to split.
train_ratio	Numeric in (0,1); proportion for training. Default 0.8.
seed	Integer random seed. Default 42.

Value

Named list with train and test data frames.

Examples

```
splits <- ml_split(mtcars, train_ratio = 0.75, seed = 1)
nrow(splits$train)
```

run_app	<i>Launch the DrData Shiny Application</i>
---------	--

Description

Opens the DrData interactive platform in your default browser or RStudio Viewer. All required packages are checked before launch; missing ones are listed so you can install them with a single `install.packages()` call.

Usage

```
run_app(...)
```

Arguments

... Additional arguments passed to `runApp`, for example `port` or `launch.browser`.

Value

Invisible NULL. Called for its side effect.

Examples

```
## Not run:  
run_app()  
run_app(port = 4321, launch.browser = FALSE)  
  
## End(Not run)
```

Index

`build_model_formula`, [2](#)

`formula`, [2](#)

`ml_metrics_regression`, [3](#)

`ml_prepare_data`, [3](#)

`ml_split`, [4](#)

`run_app`, [4](#)

`runApp`, [4](#)